HEAVY DUTY JACKING BEAM FL-2

AIR HYDRAULIC TWIN RAM JACKING BEAM

Item number: FL-2

- 2 individually controlled rams offer safe and balanced lifting
- Transversely sliding rams
- Can be made to fit all lifts due to its adjustable frame
- Frame height is adjusted and set to the customers individual specifications
- Supplied with 2 x 100 mm extensions FG100







Capacity:	6 - 20 t
Stroke:	200 mm
Min height:	305 mm
Max height:	505 mm
Depth:	665 mm
Cylinder diameter:	60 mm
Air supply:	8 - 10 bar
Air consumption:	- 350 l/min
Weight:	210 kg

HEAVY DUTY JACKING BEAM

ACCESSORIES FL-2:

T4-2

Cross beam adaptor



Item number: 5866600

T4-2W

Cross beam adaptor



Item number: 5866650

T5-2

Flexible and adjustable cross beam adaptor



Item number: 5866800

T6-2

Innovative cross beam adaptor



Item number: 5866055

T6-2W

Innovative cross beam adaptor



Item number: 5866010

LB

Diff beam



Item number: 9114300

FLTR

Trolley



Item number: 5836700

FW2-90

V-saddle



Item number: 9112700

HEAVY DUTY JACKING BEAM

ACCESSORIES FL-2:

FW2-130

V-saddle



Item number: 9112710

US-100

U-saddle



Item number: 9113210

US-130

U-saddle



Item number: 9113240

FG100

Extension



Item number: 9114100

FG200

Extension



Item number: 9114200

VB1

Wall bracket



Item number: 5866340

VB2

Wall bracket



Item number: 5866380

HSD-F

Front air connection kit



Item number: 5863410

HEAVY DUTY JACKING BEAM

ACCESSORIES FL-2:

ISO VG5

Oil, RENOLIN DTA, 1L



Item number: 09.260.47